

Figure 8. Tracks of all tropical cyclones of hurricane intensity passing within 50 n.mi. of Miami, Florida. The 50 n.mi. circle is also plotted. The numbers at the beginning and end of each track refer to column 1 of Table 4.

Standard statistical graphs showing frequency for various periods are often produced. Figure 9 gives an example of the annual tropical cyclone frequency, 1886 through 1982.

One of the many objective models in current operational usage at NHC is an analog model as described by Hope and Neumann (1970). This model scans the HURDAT tape and selects tropical cyclones that have characteristics similar to the current tropical cyclone in progress. These analog tropical cyclones are composited and a forecast track is generated. Figure 10 shows an example of an analog forecast for tropical cyclone Anita, 1977. Also included in the plot are the 50% probability elipses at the forecast intervals of 12, 24, and 36 hr.

Table 5. Computer Printout of All Hurricanes That Passed Within 50 n.mi. of Miami, Florida 1886 through 1983.

NAPE   STARTING LENGTH SEASONAL   STORM'S NAME CLOSEST POINT OF DATE AT CPA A						-									
3 9/ 9/1903 8 3 NOT NAMED 26.2M 90 9/ 122007 31.MM 83K1 141 4 10/12/1906 10 2 NOT NAMED 26.2M 80.3M 10/17 16002 12.NM 65K1 150 5 6/14/1906 10 2 NOT NAMED 25.9M 80.3M 60/17 08001 28.NM 70KT 159 6 10/11/1906 12 8 NOT NAMED 25.4M 80.3M 10/18 09001 28.NM 70KT 159 8 9/11/1926 12 16 NOT NAMED 25.4M 80.3M 10/18 09001 29.NM 84KT 189 8 9/11/1926 12 16 NOT NAMED 25.4M 80.3M 10/18 12002 12.NM 118KT 276 9 10/11/1926 12 16 NOT NAMED 25.4M 80.3M 10/18 12002 12.NM 118KT 276 9 10/12/1926 12 16 NOT NAMED 25.4M 80.3M 10/18 12002 12.NM 10/1KT 2800 11 10/12/1926 12 10 NOT NAMED 25.4M 80.3M 10/18 12002 12.NM 10/1KT 2800 11 10/13/1926 12 10 NOT NAMED 25.4M 80.3M 10/18 12002 12.NM 10/1KT 2800 11 10/13/1926 12 10 NOT NAMED 25.4M 80.3M 10/18 12002 12.NM 10/1KT 2800 11 10/13/1926 12 10 NOT NAMED 25.4M 80.3M 10/18 12002 12.NM 10/1KT 40/1KT 40/18002 12.NM 10/1KT 40/1KT 40	1	MAP S INDEX (1)	TARTING DATE (2)	LENGTH (DAYS) (3)	INDEX	STORM'S NAME	CLOSEST PO APPROACH	CINT OF	AT CPA	TIME AT CPA (9)	DISTANCE TO CPA (10)	WIND #			
10   12   10   10   2   10   3   10   11   1500   12   10   10   10   10   10   10		1 2	8/14/188 8/13/188	83 11 71 8	3	NOT NAMĒD	25-6N 25-4N	80.4W 80.3W	8/16 8/24	1700Z	12.NM 22.NM	94KT 3	9		
10/19/1926 13		5 1	0/12/190 6/14/190 0/11/190	04 10 06 10 06 12	23 22 8	NOT NAMED NOT NAMED	26.UN 25.9N	80.36	6/17	16002 08002	12.NM 28.NM	70KT 15	9		
12 10/30/1935 10 6 NOT NAMED 25.8N 80.3W 11/4 18807 23.NM 105KT 357 13 10/30/1935 10 6 NOT NAMED 25.5N 80.5W 10/6 11007 23.NM 105KT 409 14 9/12/1945 2 9 NOT NAMED 25.5N 80.5W 10/6 12007 13.NM 13KT 461 16 10/9/1947 18 4 NOT NAMED 25.9N 80.4W 9/15 13007 17.NM 13KT 465 17 9/13/1948 8 7 NOT NAMED 26.1N 80.8W 9/22 05007 33.NM 97KT 473 18 10/30/1948 14 8 NOT NAMED 26.1N 80.8W 9/22 05007 33.NM 97KT 473 18 10/30/1964 17 5 CLEO 25.8N 80.2W 10/18 06007 4.NM 93KT 699 21 10/8/1964 17 5 CLEO 25.9N 60.0W 82.7 09007 13.NM 93KT 699 21 10/8/1964 10 11 138ELL 26.2N 80.8W 10/14 23007 38.NM 10KT 635 22 8/27/1965 18 3 BETS 25.1N 80.8W 10/14 23007 38.NM 110KT 635 23 9/21/1966 21 9 INET 25.1N 80.3W 10/14 23007 38.NM 110KT 635 24 8/25/1979 15 4 DAVID 26.1N 79.5W 9/3 11007 44.NM 110KT 635  NOTES.  (1) INDEX NUMBER CORRESPONDS TO INDICTES GIVEN ON MAP AT BEGINNING AND END OF STORM TRACK.  (2) INITIAL DETECTION DATE OF THIS TROPICAL CYCLONE.  (3) RECORDED DURATION OF STORM IN CALENDAR DAYS.  (4) STORM NUMBER FOR GIVEN YEAR CORRESPONDING TO THOSE GIVEN IN REFERENCE (1).  (5) STORM NUMBER FOR GIVEN YEAR CORRESPONDING TO THOSE GIVEN IN REFERENCE (1).  (6) THESE COLLMNS SIVE LOCATION AND TIME OF CLOSEST APPROACH AND DISTANCE OF STORM CENTER TO SITE. THIS IS NOT NAXIMUM SUSSANIAND SPEED NEAR STORM CENTER STORM CENTER IS WITHIN SPECIFIED DISTANCE FROM SITE. THIS IS NOT CUMULATIVE STORM INDEX NUMBER BEGINNING WITH STORM 1 IN 1886.		7 11 8 1	3/12/12	6 12 6 12	· 10	NOT NAMED NOT NAMED NOT NAMED	25.4N 25.6N 25.4N	80.3W	9/18 10/21	1200Z 0500Z	29.NM 12.NM 33.NM	84KT 18 118KT 27 95KT 28	76 80		
1	· .	12 16	0/30/193 D/ 3/194	35 10 11 12		NOT NAMED NOT NAMED	25.8N 25.5N	80.3W	11/4	1800Z 1100Z	50.NM 2.NM 23.NM	65KT 35	57 )8		
10	<u>,</u>	16 10	0/ 9/194	47 8	3	NOT NAMED NOT NAMED	25.6N	80.4W 80.4W 80.5W	9/15 10/12	-2300Z 1300Z 0700Z	17.NM 31.NM 13.NM	75KT 46	9 1 5		
NOTES.  (1) INDEX NUMBER CORRESPONDS TO INDICIES GIVEN ON MAP AT BEGINNING AND END OF STORM TRACK. (2) INITIAL DETECTION DATE OF THIS TROPICAL CYCLONE. (3) RECORDED DURATION OF STORM IN CALENDAR DAYS. (4) STORM NUMBER FOR GIVEN YEAR CORRESPONDING TO THOSE GIVEN IN REFERENCE (1). (5) STORMS WERE NOT FORMALLY NAMED PRIOR TO 1950. (6) STORMS WERE NOT FORMALLY NAMED PRIOR TO 1950. (6) - (10) THESE COLUMNS SIVE LOCATION AND TIME OF CLOSEST APPROACH AND DISTANCE OF STORM CENTER TO SITE. (11) MAXIMUM SUSTAINED WIND SPEED NEAR STORM CENTER WHILE STORM CENTER IS WITHIN SPECIFIED DISTANCE FROM SITE. THIS IS NOT NECESSARILY THE WIND RECORDED AT GIVEN SITE. SEE REFERENCE (2).		18 10 20	0/ 3/194 0/13/195 8/20/196	14 0 7	11	NOT NAMED King Cleo	32•ZN .	50.1W 80.2W 80.0W	-18/18 8/27	0000Z 0600Z 0900Z	11.NM 4.NM 13.NM	96KT 47 93KT 49 90KT 62	29		. w.a
NOTES.  (1) INDEX NUMBER CORRESPONDS TO INDICIES GIVEN ON MAP AT BEGINNING AND END OF STORM TRACK. (2) INITIAL DETECTION DATE OF THIS TROPICAL CYCLONE. (3) RECORDED DURATION OF STORM IN CALENDAR DAYS. (4) STORM NUMBER FOR GIVEN YEAR CORRESPONDING TO THOSE GIVEN IN REFERENCE (1). (5) STORMS WERE NOT FORMALLY NAMED PRIOR TO 1950. (6) STORMS WERE NOT FORMALLY NAMED PRIOR TO 1950. (6) - (10) THESE COLUMNS SIVE LOCATION AND TIME OF CLOSEST APPROACH AND DISTANCE OF STORM CENTER TO SITE. (11) MAXIMUM SUSTAINED WIND SPEED NEAR STORM CENTER WHILE STORM CENTER IS WITHIN SPECIFIED DISTANCE FROM SITE. THIS IS NOT NECESSARILY THE WIND RECORDED AT GIVEN SITE. SEE REFERENCE (2).		23	8/27/198 8/21/198 8/25/197	5 18 9 15		INEZ	25.2N 25.2N 25.2N	80.8W 80.3W 80.0W	9/ 8	1000Z	38-NM 44-NM 40-NM 45-NM	110KT 63 110KT 63 72KT 63	3 1		
(3) RECORDED DURATION OF STORM IN CALENDAR DAYS. (4) STORM NUMBER FOR GIVEN YEAR CORRESPONDING TO THOSE GIVEN IN REFERENCE (1). (5) STORMS WERE NOT FORMALLY NAMED PAIOR TO 1950. (6) - (10) THESE COLUMNS SIVE LOCATION AND TIME OF CLOSEST APPROACH AND DISTANCE OF STORM CENTER TO SITE. (11) MAXIMUM SUSTAINED WIND SPEED NEAR STORM CENTER WHILE STORM CENTER IS WITHIN SPECIFIED DISTANCE FROM SITE. THIS IS NOT (12) CUMULATIVE STORM INDEX NUMBER BEGINNING WITH STORM 1 IN 1886.	NOTES				Tre crues	-							· .		
	tas usrnonen niic	IATION 1	NE CTAGM	4 TM CAI	CHILAD VY	4 C									
	(6) - (10) THESE (11) MAXIMUM SUS	NOT FOI COLUMI TAINED	RMALLY N NS SIVE WIND SP	NAMED PÁ LOCATIO PEED NEA	IOR TO 19 N AND TIM R STORM (	SO. ME OF CLOSEST CENTER WHILE	APPROACH STORM CENT	ND DIST	ANCE OF	STORM ECIFIED	CENTER TO	SITE. FROM SI	TE. TE	HIS IS NOT	ſ
	TT27 CUMULATIVE"	STORM :	เพ่ชียัx "พี่ปั	ĬŇĐĒŘ <sup>™</sup> ĎŠ	GINNING V			KE 1824.		•					
	Titalian				*****		REFERENCES								
(1) JARVINEN, B. R., AND E. L. CASO, "A TROPICAL CYCLONE DATA TAPE FOR THE NCRTH ATLANTIC BASIN, 1886-1977: CONTENTS,  LIMITATIONS, AND USES!, NGAA TECHNICAL MEMORANDUM NWS NHC 6, JUNE 1978.  (2) NEUMANN, C. J., G. W. CRY, E. L. CASO AND B. R. JARVINEN, "TROPICAL CYCLONES OF THE NORTH ATLANTIC OCEAN, 1871-1980",  NOAA, NATIONAL CLIMATIC CENTER, ASHEVILLE, N. C., JULY 1981, PP. 174.	(2) NEUMANN, C.	ATIONS	ND E. L. AND US W. CRY,	CASO, ES NO	A TROPIC AA TECHNI CASO AND	CAL CYCLONE DA CAL MEMORANDI 9. R. JARVIN	ATA TAPE FI IM NWS NHC EN, "TROPI	OR THE N 6, JUNE CAL CYCL	CRTH AT 1978. ONES OF	THE NO	BASIN, 18 RTH ATLA!	386-1977: Itic ocea	CONTE	:NTS, 1-1980',	

CONSULT REFERENCES 1 AND 2 FOR DATA LIMITATIONS.




Figure 9. Annual distribution of the 811 recorded Atlantic tropical cyclones that reached at least tropical storm strength (open bar) and the 475 that reached hurricane strength (solid bar), 1886 through 1982. The average annual number of tropical storms and hurricanes over the period of record is 8.4 and 4.9, respectively.




Figure 10. Hurricane analog forecast for Anita, 1977. The initial time is 0000 GMT on September 1, 1977.

These are determined from the scatter of the analog composites at the respective forecast interval. Other forecast models use the climatological information as one of many pieces of information to determine a forecast track.

)

Uses of the data also include intensity forecasts from regression analyses of the wind data and determination of pressure wind relationships.

## REFERENCES

- Akima, H., 1970: A New Method of Interpolation and Smooth Curve Fitting Based on Local Procedures, <u>Journal of the Association for Computing Machinery</u>, Vol. 17, No. 4, pp. 589-602.
- Atkinson, G. D. and C. R. Holliday, 1977: Tropical Cyclone Minimum Sea Level Pressure/Maximum Sustained Wind Relationship for the Western North Pacific, Monthly Weather Review, Vol. 105, No. 4, pp. 421-427.
- Black, P.G. and W.L. Adams, 1983: Guidance for Estimating Surface Winds Based on Sea State Observations from Aircraft and Sea State Catalog, Special Report from the Federal Coordinator for Meteoro-logical Services and Supporting Research, FCM-G1-1983, Washington, D.C., 83 pp.
- Cry, G. W., 1965: Tropical Cyclones of the North Atlantic Ocean,

  <u>Technical Paper No. 55</u>, U.S. Weather Bureau, Washington, D.C., 148

  pp.
- Dunn, G. E. and B. I. Miller, 1964: Atlantic Hurricanes, Louisiana State University Press, Baton Rouge, LA, 377 pp.
- Dvorak, V. F., 1973: A Technique for the Analysis and Forecasting of Tropical Cyclone Intensities from Satellite Pictures, NOAA Technical Memorandum NESS-45, Washington, D.C., 19 pp.
- from Satellite Imagery, Monthly Weather Review, Vol. 103, No. 5, pp. 420-430.
- Hebert, P. J. and K. O. Poteat, 1975: A Satellite Classification Technique for Subtropical Cyclones, NOAA Technical Memorandum NWS SR-83, Fort Worth, Texas, 25 pp.
- Hebert, P. J. and G. Taylor, 1975: Hurricane Experience Levels of Coastal County Populations Texas to Maine, Special Report, 153 pp.
- Hope, J. R. and C. J. Neumann, 1968: Probability of Tropical Cyclone Induced Winds at Cape Kennedy, Weather Bureau Technical Memorandum SOS-1, Silver Spring, MD, 67 pp.
- ----- and ----, 1970: An Operational Technique for Relating the Movement of Existing Tropical Cyclones to Past Tracks, Monthly Weather Review, Vol. 98, No. 12, pp. 925-933.

- Kraft, R.H., 1961: The Hurricane's Central Pressure and Highest Wind, Mariners Weather Log, Vol. 5, No. 5, 157 pp.
- Lawrence, M. B. and B. M. Mayfield, 1977: Satellite Observations of Trochoidal Motion During Hurricane Belle 1976, Monthly Weather Review, Vol. 105, No. 11, pp. 1458-1461.
- Neumann, C. J., G. W. Cry, E. L. Caso, and B. R. Jarvinen, 1981: Tropical Cyclones of the North Atlantic Ocean, 1871-1980, 174 pp.
- Padya, B. M., 1975: Spatial Variability and Gustiness of Cyclone Winds: Gervaise, Mauritius, February 1975, Australian Meteorological Magazine, Vol. 23, No. 3, pp. 61-69.
- Saffir, H. S., 1977: Design and Construction Requirements for Hurricane Resistant Construction, American Society of Civil Engineers, New York, Preprint Number 2830, 20 pp.
- Shinners, W., 1963: Comparison of Measured and Estimated Winds at Sea, U.S. Member Working Group, WMO, (unpublished manuscript).
- U.S. DOC, NOAA, Federal Coordinator for Meteorological Services and Supporting Research, 1977: National Hurricane Operations Plan, FCM 77-2, 104 pp.

```
DIMENSION IDATE(50,5), ALAT(50,4), ALON(50,4), IPED(50,4), IPRE(50,4)
      DIMENSION IA(19), IB(58), ICE(50.4)
      WRITE(6,1)
    1 FORMAT(1H1)
      DO 50 I=1,1000
      EACH PASS THROUGH DO LOOP 50 READS ONE STORM
С
      READ(19, 2, END=99) (IA(J), J=1,19), M, (IB(J), J=1,58), LSTORM
      19=HURDAT TAPE. READ TITLE CARD.
                                         OBTAIN M WHICH GIVES THE
С
      NUMBER OF GMT DAYS THAT THE STORM WAS IN EXISTENCE.
    2 FORMAT(19A1,12,58A1,1X,A1)
      DO 7 II=1.M
C
      DO LOOP 7 READS M DATA CARDS AND STORES VALUES IN ARRAYS.
      READ(19,5) (IDATE(II,J),J=1,5),((ICE(II,J),ALAT(II,J),ALON(II,J),
     liped(II,J), ipre(II,J)), j=1,4)
    5 FORMAT(6X, 5A1, 4(A1, F3.1, F4.1, 1X, I3, IX, I4))
    7 CONTINUE
      READ(19,8) IO
C
      READ IDENTIFICATION CARD
    8 FORMAT(6X,A2)
C
C
      DATA FOR ONE STORM READ INTO STORAGE.
                                               THE FOLLOWING STATEMENTS
      WRITE THIS DATA OUT.
      WRITE(6,11)
      WRITE(6,12) (IA(J),J=7,19),M,(IB(J),J=1,59)
      DO 9 J=1,M
      WRITE (6,13) (IDATE (J,K),K=1,5), ((ICE (J,K),ALAT(J,K),ALON(J,K)).
     lIPED(J,K),IPRE(J,K)),K=1,4)
    9 CONTINUE
   11 FORMAT(1H0,/,/,2x,40H-----)
   12 FORMAT(1H0, 10x, 13A1, I2, 59A1, /, /, 20X, 5H0000Z, 17X, 5H0600Z, 17x,
     15H1200Z,17X,5H1800Z,/,/,
     27X, 4HDATE, 2X, 4(3HLAT, 3X, 3HLON, 2X, 3HVEL, 1X, 4HPRES, 3X))
   13 FORMAT(1H .5X,5A1,1X,4(A1,F4,1,1X,F5,1,1X,I3,1X,I4,2X))
   50 CONTINUE
   99 CONTINUE
      STOP
      END
```

- NWS NHC 6 A Tropical Cyclone Data Tape for the North Atlantic Basin, 1886-1977: Contents, Limitations, and Uses. Brian R. Jarvinen and Eduardo L. Caso - June 1978 (PB285504/AS)
- NWS NHC 7 The Deadliest, Costliest, and Most Intense United States Hurricanes of the Century (and Other Frequently Requested Hurricane Facts). Paul J. Hebert and Glenn Taylor August 1978 (PB286753/AS)
- NWS NHC 8 Annual Data and Verification Tabulation of Atlantic Tropical Cyclones 1977.

  Miles B. Lawrence, Paul J. Hebert and Staff, NHC March 1979 (PB295702)
- NWS NHC 9 Annual Data and Verification Tabulation of Atlantic Tropical Cyclones 1978.
  Paul J. Hebert and Staff, NHC April 1979 (PB296323)
- NWS NHC 10 Statistical Forecasts of Tropical Cyclone Intensity for the North Atlantic Basin. Brian R. Jarvinen and Charles J. Neumann - April 1979 (PE297185)
- NWS NHC 11 A Guide to Atlantic and Eastern Pacific Models for the Prediction of Tropical Cyclone Motion. Charles J. Neumann April 1979 (PB297141/AS)
- NWS NHC 12 Modification of NMC Analyses and Prognoses for Use in Statistical Tropical Cyclone Prediction Models. Preston W. Leftwich, Jr. May 1979 (PB297190)
- NWS NHC 13 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1979. Faul J. Hebert and Staff, NHC June 1980
- NWS NHC 14 A Statistical Tropical Cyclone Motion Forecasting System for the Gulf of Mexico. Robert T. Merrill August 1980
- NWS NHC 15 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1980. Glenn Taylor and Staff, NHC - June 1981
- NWS NHC 16 A Compilation of Eastern and Central North Pacific Tropical Cyclone Data, Gail M. Brown and Preston W. Leftwich, Jr. August 1982 (PB83115444)
- NWS NHC 17 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1981. Staff, NHC - November 1982
- NWS NHC 18 The Deadliest, Costliest, and Most Intense United States Hurricanes of This Century (and Other Frequently Requested Hurricane Facts), Paul J. Hebert and Glenn Taylor, NHC January 1983 (PB83-163527)
- NWS NHC 19 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1982. Gilbert B. Clark and Staff, NHC - February 1983 (PB83184077)
- NWS NHC 20 The Miss/Hit Ratio An Estimate of Reliability for Tropical Cyclone Track Predictions, Preston W. Leftwich, Jr. - April 1983
- NWS NHC 21 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1983.

  Gilbert B. Clark and Staff, NHC January 1984
- NWS NHC 22 A Tropical Cyclone Data Tape for the North Atlantic Basin, 1886-1983:
  Contents, Limitations, and Uses. Brian R. Jarvinen, Charles J. Neumann, and
  Mary A. S. Davis March 1984
- NWS XHC 23 Frequency and Motion of Western North Pacific Tropical Cyclones. Zongyuan Xue and Charles J. Neumann May 1984 (PB85106466)
- NWS NHC 24 Hurricane Experience Levels of Coastal County Populations Texas to Maine June 1984 (PB85111383)
- NWS NHC 25 A Tropical Cyclone Data Tape for the Eastern and Central North Pacific Basins, 1949-1983: Contents, Limitations, and Uses - September 1984 (PB85110054)
- NWS NHC 26 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1984. Gilbert B. Clark and Robert A. Case, NHC - February 1985
- NWS NHC 27 A Storm Surge Atlas for Corpus Christi, Texas. Brian R. Jarvinen, A. Barry Damiano, and Gloria J. D. Lockett August 1985
- NWS NHC 28 A Statistical Model for the Prediction of Western North Pacific Tropical Cyclone Motion (WPCLPR). Yiming Xu and Charles J. Neumann, November 1985
- NWS NHC 29 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1985. Gilbert B. Clark and Robert A. Case, NHC - March 1986
- NWS NHC 30 A Storm Surge Atlas for the Sabine Lake (Texas/Louisiana) Area. Victor Wiggert and Brian Jarvinen April 1986
- NWS NHC 31 The Deadliest, Costliest, and Most Intense United States Hurricanes of This Century (and Other Frequently Requested Hurricane Facts) (Rev. of NOAA TM 18). Paul J. Hebert, WSFO Miami; Glenn Taylor and Robert A. Case, NHC September 1986
- NWS NHC 32 Comparison of Observed Versus SLOSH Model Computed Storm Surge Hydrographs
  Along the Delaware and New Jersey Shorelines for Hurricane Gloria, September
  1985. Brian Jarvínen, NHC; Jeff Gebert, Army COE, Philadelphia, PA September 1986
- NWS NHC 33 Hurricane Tracking Using an Envelope Approach Impacts Upon Forecasts.

  Robert C. Sheets October 1986
- NWS NHC 34 An Experiment in Statistical Prediction of Tropical Cyclone Intensity Change - Robert T. Merrill - February 1987
- NWS NHC 35 Annual Data and Verification Tabulation Atlantic Tropical Cyclones 1986 Gilbert B. Clark and Robert A. Case March 1987
- NWS NHC 36 Observed Versus Slosh Model Storm Surge for Connecticut, New York and Upper New Jersey in Hurricane Gloria, September 1985 - Brian Jarvinen and Jeff Gebert - August 1987
- NWS NHC 37 Observed Versus Slosh Model Storm Surge for North Carolina in Hurricane Gloria, September 1985 - Brian Jarvinen and Allan McDuffie - August 1987
- NWS NHC 38 The National Hurricane Center Risk Analysis Program (HURISK) Charles J. Neumann November 1987
- NWS NHC 39 Satellite Interpretation Messages A Users' Guide James S. Lynch May 1987
- NWS NHC 40 Annual Data and Varification Tabulation Atlantic Tropical Cyclones 1987. Gilbert B. Clark and Robert A. Case March 1988
- NWS NHC 41 The National Hurricane Center NHC83 Model Charles J. Neumann May 1988

## NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

NOAA, the National Oceanic and Atmospheric Administration, was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth, and to assess the socioeconomic impact of natural and technological changes in the environment.

The six Major Line Components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications:

PROFESSIONAL PAPERS — Important definitive research results, major techniques, and special investigations.

TECHNICAL REPORTS—Journal quality with extensive details, mathematical developments, or data listings.


TECHNICAL MEMORANDUMS — Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.

CONTRACT AND GRANT REPORTS—Reports prepared by contractors or grantees under NOAA sponsorship.

TECHNICAL SERVICE PUBLICATIONS—These are publications containing data, observations, instructions, etc. A partial listing: Data serials; Prediction and outlook periodicals; Technical manuals, training papers, planning reports, and information serials; and Miscellaneous technical publications.

ATLAS—Analysed data generally presented in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.





Information on availability of NOAA publications can be obtained from:

ENVIRONMENTAL SCIENCE INFORMATION CENTER
ENVIRONMENTAL DATA SERVICE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
U.S. DEPARTMENT OF COMMERCE

3300 Whitehaven Street, N.W. Washington, D.C. 20235